

CHAMOT

重组小鼠纤毛神经营养因子 /Recombinant CNTF,
Mouse, Animal-Free

CM082-5MP

CM082-20MP

CM082-100MP

CM082-500MP

CM082-1000MP



CHAMOT

乔默®生物

Specialize In Cytokines

CONTENTS

1 产品简介

2 产品使用

3 产品储存/运输

4 实验数据展示

重组小鼠纤毛神经营养因子 /Recombinant CNTF, Mouse, Animal-Free

产品编号	CM082-5MP	CM082-20MP	CM082-100MP	CM082-500MP	CM082-1000MP
规格	5 μ g	20 μ g	100 μ g	500 μ g	1 mg

产品简介

背景描述	Ciliary Neurotrophic Factor (CNTF) is the member of IL-6 cytokine family and mainly expressed in the nervous system. Mouse CNTF shares 84% sequence homology with human CNTF. CNTF is 22.9 kDa neurotrophic factor containing 110 residues, which shows multiple effects in vertebrate retinogenesis. Besides, CNTF acts as a promoter that not only accelerates adult neurogenesis but also increases the survival of neuron after injury.
别称	ciliary neurotrophic factor, AI429687
蛋白编码	P51642
分子量	The protein has a calculated MW of 23.40 kDa. The protein migrates as 17-25 kDa under reducing condition (SDS-PAGE analysis).
表达系统	Escherichia coli
纯度	>98% as determined by SDS-PAGE.
生物活性	Measure by its ability to induce proliferation in TF-1 cells. The ED ₅₀ for this effect is <10 ng/mL. The specific activity of recombinant mouse CNTF is > 1 x 10 ⁵ IU/mg.
内毒素检测	<0.1 EU per 1 μ g of the protein by the LAL method.
蛋白序列	MAFAEQSPLTLHRRDLCRSIWLARKIRSDLTALMESYVKHQGLNKNISLSDVGVPVASTDRWSEMTAEAERLQENLQAYRTFQGMLTKLLEDQRVHFTPTEGDFHQAIHTLQVSAFAYQLEELMALLEQKVPEKEADGMPVTIGDGLFEKKLWGLKVLQELSQTVRSIHDLRVISSHMGISAHESHYGAKQM with polyhistidine tag at the C-terminus.
产品形式	The protein was lyophilized from a 0.2 μ m filtered solution containing 1X PBS, pH 7.4. If you have any concerns or special requirements, please confirm with us.
产品应用	Cell Culture

产品使用

1. Before opening, centrifuge at 3000 rpm for 5 mins.

2. Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H₂O to a concentration of 100-200 µg/mL.
 - Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.
- Do Not Vortex!** Vigorous shaking may impair the biological activity of the protein.
- Store at 2°C to 8°C for up to 1 week.

3. Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than 10 µg/ml.
- Prepare aliquots ($\geq 20 \mu\text{l}$).
- Store at -20°C or -80°C for 3 to 6 months.

Avoid repeated freeze-thaw cycles.

产品储存/运输

Lyophilized Protein: Store at -20°C for 1 year.

储存


Initial Reconstitution: Store at 2°C to 8°C for up to 1 week.

Extended Storage: Store at -20°C or -80°C for 3 to 6 months with a carrier protein or stabilizer.

运输

Blue Ice

实验数据展示



For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491