CHAMOT

Goat anti-Human IgG (Fc Fragment)-HRP


CM008-0.1A2H

CM008-0.5A2H

CM008-1A2H

CM008-5A2H

CM008-10A2H





ト 国 と O O

- 1 Product Specifications
- 2 Product Note
 - 3 Storage/Shipping



Product Datasheet

Goat anti-Human IgG (Fc Fragment)-HRP

Catalog#	CM008-0.1A2H	CM008-0.5A2H	CM008-1A2H	CM008-5A2H	CM008-10A2H
Size	100 μL	500 μL	1 mL	5 mL	10 mL

Product Specifications

Description	Goat anti-Human IgG, Fc Fragment is purified from goat antiserum by immunoaffinity chromatography and conjugated with high-activity HRP. Minimal cross-reactivity with other isotypes or species.		
Form	Liquid		
Reactivity	Human		
Clonality	Polyclonal		
Immunogen	IgG, Fc Fragment		
Concentratio n	Lot-dependent, please refer to product label.		
Conjugation	HRP		
Storage Buffe	Phosphate Buffered Saline containing 1% BSA, 0.03% ProClin 300, pH 7.4.		
Isotype	IgG, Fc Fragment		

Product Note

Recommended dilution factor:

ELISA: 1:5000-25000

IHC: 1:500-2500 WB:1:5000-25000

Note: Working dilution for specific application should be determined by the investigator to obtain the

best conditions.

Storage/Shipping

Stability & Storage

This product is stable after storage at: 2-8°C for 2 weeks under sterile conditions from date of receipt. -20°C or -80°C for 12 months under sterile conditions from date of receipt. Avoid repeated freeze/thaw cycles and protect from light. Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.

Shipping

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491