

CHAMOT

Goat anti-Human IgG, Fc Fragment

CM007-0.1A2

CM007-0.5A2

CM007-1A2

CM007-5A2

CM007-10A2



CHAMOT

乔默®生物

Specialize In Cytokines



CONTENT

1

Product Specifications

2

Storage/Shipping

Goat anti-Human IgG, Fc Fragment

Catalog#	CM007-0.1A2	CM007-0.5A2	CM007-1A2	CM007-5A2	CM007-10A2
Size	100 µg	500 µg	1 mg	5 mg	10 mg

Product Specifications

Description	Goat anti-Human IgG, Fc Fragment is purified from goat antiserum by immunoaffinity chromatography. Minimal cross-reactivity with other isotype or species.
Form	Liquid
Reactivity	Human
Clonality	Polyclonal
Immunogen	Gamma immunoglobulin Fc region
Concentration	1 mg/mL
Conjugation	Unconjugated
Storage Buffer	Phosphate Buffered Saline containing 0.05% sodium azide, pH 7.4.
Isotype	IgG, Fc Fragment

Storage/Shipping

Stability & Storage	This product is stable after storage at: 2-8°C for 2 weeks under sterile conditions from date of receipt. -20°C or -80°C for 12 months under sterile conditions from date of receipt. Avoid repeated freeze/thaw cycles. Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.
Shipping	The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491