

# CHAMOT

重组猪白细胞介素6 /Recombinant IL-6, Swine, Animal-Free

CM005-5SP



CM005-20SP



CM005-100SP



CM005-500SP



CM005-1000SP



CHAMOT

乔默®生物

Specialize In Cytokines

# CONTENT

1

产品简介

2

产品使用

3

产品储存/运输

4

实验数据展示

## 重组猪白细胞介素6 /Recombinant IL-6, Swine, Animal-Free

产品编号	CM005-5SP	CM005-20SP	CM005-100SP	CM005-500SP	CM005-1000SP
规格	5 µg	20 µg	100 µg	500 µg	1 mg

### 产品简介

**背景描述** Interleukin-6 (IL-6) is a pleiotropic cytokine which plays fundamental role in the acute phase response, inflammation, bone metabolism, lymphocyte differentiation and cancer progression. Deregulation of IL-6 production was also found in several diseases, including rheumatoid arthritis, Alzheimer's disease, autoimmune deficiency disease and different types of cancer.

<b>别称</b>	interleukin 6, IL6
<b>蛋白编码</b>	P26893
<b>分子量</b>	The protein has a calculated MW of 21.9 kDa. The protein migrates as 23 kDa under reducing condition (SDS-PAGE analysis).
<b>表达系统</b>	Escherichia coli
<b>纯度</b>	>98% as determined by SDS-PAGE.
<b>生物活性</b>	Measure by its ability to induce proliferation in T1165.85.2.1 cells. The ED <sub>50</sub> for this effect is <1.5 ng/mL.
<b>内毒素检测</b>	<0.1 EU per 1 µg of the protein by the LAL method.
<b>蛋白序列</b>	MGRLEEDAKGDATSDKMLFTSPDKTEELIKYILGKISAMRKEMCEKYEKENSKEVLAENNLLNPKMAEKDGFQSGFNQETCLMRITTGLVEFQIYLDYLQKEYESNKGNEAVQISTKALIQLRQKGKNPDKATTPNPTTNAGLLDKLSQNEWMKNTKIIILRSLEDFLQFSLRAIRIM with polyhistidine tag at the C-terminus.
<b>产品形式</b>	The protein was lyophilized from a 0.2 µm filtered solution containing 1X PBS, pH 7.4. If you have any concerns or special requirements, please confirm with us.
<b>产品应用</b>	Cell Culture

### 产品使用

1. Before opening, centrifuge at 3000 rpm for 5 mins.

## 2. Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H<sub>2</sub>O to a concentration of 100-200 µg/mL.
- Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.

**Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.**

- Store at 2°C to 8°C for up to 1 week.

## 3. Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than 10 µg/ml.
- Prepare aliquots ( $\geq 20 \mu\text{l}$ ).
- Store at -20°C or -80°C for 3 to 6 months.

**Avoid repeated freeze-thaw cycles.**

## 产品储存/运输

**Lyophilized Protein:** Store at -20°C for 1 year.


**Initial Reconstitution:** Store at 2°C to 8°C for up to 1 week.

**Extended Storage:** Store at -20°C or -80°C for 3 to 6 months with a carrier protein or stabilizer.

## 运输

Blue Ice

## 实验数据展示



SDS-PAGE analysis of recombinant swine IL-6

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. [www.chamot-bio.com](http://www.chamot-bio.com)

Tel: 021-51880030 Mail: [info@chamot-bio.com](mailto:info@chamot-bio.com) QQ: 864920491