# **CHAMOT**

重组犬细胞程序性死亡-配体1 /Recombinant PD-L1, Canine, HEK293, Animal-Free

CM001-5CP

CM001-20CP

CM001-100CP

CM001-500CP

CM001-1000CP





# トスツと

1 产品简介

2 产品使用

3 产品储存/运输

4 实验数据展示



## **Product Datasheet**

# 重组犬细胞程序性死亡-配体1 / Recombinant PD-L1, Canine, HEK293, Animal-Free

产品编号	CM001-5CP	CM001-20CP	CM001-100CP	CM001-500CP	CM001-1000CP
规格	5 μg	20 μg	100 μg	500 μg	1 mg

### 产品简介

PD-L1 regulates immune responses by binding to the immunoinhibitory receptor PD-1 on activated T-cells and B-cells. This interaction can suppress T-cell responses by inducing apoptosis and arresting cell-cycle progression. In cancer, PD-L1's role in 背景描述 reducing antigen-specific T cells can promote tumor growth and immune evasion. As a result, PD-L1 is considered as a potential therapeutic target for autoimmune diseases and cancer. 别称 CD274, B7-H1 蛋白编码 NP 001278901.1

The protein has a calculated MW of 26 kDa. The protein migrates as 35-45 kDa uder 分子量

reducing condition (SDS-PAGE analysis).

表达系统 HEK293 cell

纯度 >90% as determined by SDS-PAGE analysis.

生物活性 Testing in process

<0.1 EU per 1 µg of the protein by the LAL method. 内毒素检测

A DNA sequence encoding Canine PD-L1 Protein (#NP 001278901.1)(Phe19-Arg236) 蛋白序列 was expressed with polyhistidine tag at the C-terminus.

The protein was lyophilized from a 0.2 µm filtered solution containing 1X PBS, pH 7.4. If you have any concerns or special requirements, please confirm with us.

Cell Culture 产品应用

### 产品使用

产品形式

**1.** Before opening, centrifuge at 3000 rpm for 5 mins.

### 2.Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H<sub>2</sub>O to a concentration of 100-200 μg/mL.
- Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

• Store at 2°C to 8°C for up to 1 week.

### 3.Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than  $10~\mu g/ml$ .
- Prepare aliquots (≥20 µl).
- Store at -20°C or -80°C for 3 to 6 months.

Avoid repeated freeze-thaw cycles.

# 产品储存/运输

**Lyophilized Protein:** Store at -20°C for 1 year.

储存 Initial Reconstitution

**Initial Reconstitution:** Store at 2°C to 8°C for up to 1 week.


Extended Storage: Store at -20°C or -80°C for 3 to 6 months with a carrier protein or

stabilizer.

运输

Blue Ice

### 实验数据展示



SDS-PAGE analysis of recombinant canine PD-L1

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491