CHAMOT

重组犬细胞程序性死亡-配体1 /Recombinant PD-L1, Canine, HEK293, Animal-Free

CM001-5CP

CM001-20CP

CM001-100CP

CM001-500CP

CM001-1000CP





トスツと

1 产品简介

2 产品使用

3 产品储存/运输

4 实验数据展示



Product Datasheet

重组犬细胞程序性死亡-配体1 / Recombinant PD-L1, Canine, HEK293, Animal-Free

产品编号	CM001-5CP	CM001-20CP	CM001-100CP	CM001-500CP	CM001-1000CP
规格	5 μg	20 μg	100 μg	500 μg	1 mg

产品简介

PD-L1 regulates immune responses by binding to the immunoinhibitory receptor PD-1 on activated T-cells and B-cells. This interaction can suppress T-cell responses by inducing apoptosis and arresting cell-cycle progression. In cancer, PD-L1's role in 背景描述 reducing antigen-specific T cells can promote tumor growth and immune evasion. As a result, PD-L1 is considered as a potential therapeutic target for autoimmune diseases and cancer. 别称 CD274, B7-H1 蛋白编码 NP 001278901.1

The protein has a calculated MW of 26 kDa. The protein migrates as 35-45 kDa uder 分子量

reducing condition (SDS-PAGE analysis).

表达系统 HEK293 cell

纯度 >90% as determined by SDS-PAGE analysis.

生物活性 Testing in process

<0.1 EU per 1 µg of the protein by the LAL method. 内毒素检测

A DNA sequence encoding Canine PD-L1 Protein (#NP 001278901.1)(Phe19-Arg236) 蛋白序列 was expressed with polyhistidine tag at the C-terminus.

The protein was lyophilized from a 0.2 µm filtered solution containing 1X PBS, pH 7.4. If you have any concerns or special requirements, please confirm with us.

Cell Culture 产品应用

产品使用

产品形式

1. Before opening, centrifuge at 3000 rpm for 5 mins.

2.Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H₂O to a concentration of 100-200 μg/mL.
- Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

• Store at 2°C to 8°C for up to 1 week.

3.Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than $10~\mu g/ml$.
- Prepare aliquots (≥20 µl).
- Store at -20°C or -80°C for 3 to 6 months.

Avoid repeated freeze-thaw cycles.

产品储存/运输

Lyophilized Protein: Store at -20°C for 1 year.

储存 Initial Reconstitution

Initial Reconstitution: Store at 2°C to 8°C for up to 1 week.


Extended Storage: Store at -20°C or -80°C for 3 to 6 months with a carrier protein or

stabilizer.

运输

Blue Ice

实验数据展示



SDS-PAGE analysis of recombinant canine PD-L1

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491