

CHAMOT

Goat anti-Mouse IgG (H+L)-HRP

CM002-A2HS

CM002-0.1A2H

CM002-0.5A2H

CM002-1A2H

CM002-5A2H

CM002-10A2H



CHAMOT

乔默®生物

Specialize In Cytokines



CONTENT

1 产品简介

2 产品使用

3 产品储存/运输

4 文献引用

Goat anti-Mouse IgG (H+L)-HRP

产品编号	CM002-A2HS	CM002-0.1A2H	CM002-0.5A2H	CM002-1A2H	CM002-5A2H	CM002-10A2H
规格	10 μL	100 μL	500 μL	1 mL	5 mL	10 mL

产品简介

产品描述	Goat Anti-Mouse IgG (H+L) Antibody (HRP) is conjugated with high-activity horseradish peroxidase (HRP).
产品形式	Liquid
产品应用	ELISA,IHC,WB
反应性	Mouse (Minor cross-reactivity to rat)
克隆性	Polyclonal
免疫原	Purified mouse IgG
浓度	Lot-dependent, please refer to product label.
标记	HRP
产品组成	Phosphate Buffered Saline containing 1% BSA, 0.03% ProClin 300 and 50% glycerol, pH 7.4.
亚型	IgG

产品使用

Recommended dilution factor:

ELISA: 1:5000-25000

IHC: 1:500-2500

WB:1:5000-25000

Note: Working dilution for specific application should be determined by the investigator to obtain the best conditions.

产品储存/运输

储存

This product is stable after storage at: 2-8°C for 2 weeks under sterile conditions from date of receipt. -20°C or -80°C for 12 months under sterile conditions from date of receipt. Avoid repeated freeze/thaw cycles and protect from light. Suggestion: Divide antibody into several vials. Keep only vials for usage at 2-8°C.

运输

The product is shipped with polar packs. Upon receipt, store it immediately at -20°C or lower for long term storage.

文献引用

- Sterol O-acyltransferase 2 chaperoned by apolipoprotein J facilitates hepatic lipid accumulation following viral and nutrient stresses. *Commun Biol.* 2021 May 12;4(1):564. (IF 5.489)
- Antagonizing apolipoprotein J chaperone promotes proteasomal degradation of mTOR and relieves hepatic lipid deposition. *Hepatology.* 2023 Oct 1;78(4):1182-1199. (IF 12.9)

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491