CHAMOT

重组猪白细胞介素4 /Recombinant IL-4, Swine, Animal-Free

CM004-5SP

CM004-20SP

CM004-100SP

CM004-500SP

CM004-1000SP





トスツと

1 产品简介

2 产品使用

3 产品储存/运输

4 实验数据展示

CHAMOT 乔默[®]生物 Specialize In Cytokines

Product Datasheet

重组猪白细胞介素4 /Recombinant IL-4, Swine, Animal-Free

产品编号	CM004-5SP	CM004-20SP	CM004-100SP	CM004-500SP	CM004-1000SP
规格	5 μg	20 μg	100 µg	500 μg	1 mg

ᅕ	**		
	НΞІ	М	Ш
	نصلا	JK /4	

背景描述

Interleukin-4 (IL-4) is a key cytokine produced by activated T cells, mast cells, basophils, neutrophils and eosinophils. IL-4 is critical for the development of Th2-mediated responses, which is related to allergy and asthma. It can also regulate B cell responses, including survival, cell proliferation and gene expression. IL-4 also plays fundamental role for B-cell stimulation, including induction of the IgE isotype switch.

别称	interleukin 4, IL4
蛋白编码	Q04745

分子量

The protein has a calculated MW of 13.5 kDa. The protein migrates as 15 kDa under reducing condition (SDS-PAGE analysis).

表达系统 Escherichia coli

纯度 >98% as determined by SDS-PAGE.

生物活性 Measure by its ability to induce proliferation in TF-1 cells. The ED50 for this effect is <0.6 ng/mL.

内毒素检测 <0.1 EU per 1 μg of the protein by the LAL method.

内母系位拠 <0.1 EO per 1 µg of the protein by the LAL method.

MHKCDITLQEIIKTLNILTARKNSCMELPVTDVFAAPENTTEKETFCRASTVLRHIYRHHTCMKS LLSGLDRNLSSMANMTCSVHEAKKSTLKDFLERLKTIMKEKYSKC with polyhistidine tag at the C-terminus.

产品形式 The protein was lyophilized from a 0.2 μm filtered solution containing 1X PBS, pH 7.4. If you have any concerns or special requirements, please confirm with us.

产品应用 Cell Culture

产品使用

蛋白序列

1. Before opening, centrifuge at 3000 rpm for 5 mins.

2.Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H₂O to a concentration of 100-200 μg/mL.
- Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

• Store at 2°C to 8°C for up to 1 week.

3.Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than 10 µg/ml.
- Prepare aliquots (≥20 µl).
- Store at -20°C or -80°C for 3 to 6 months.

Avoid repeated freeze-thaw cycles.

产品储存/运输

储存

Lyophilized Protein: Store at -20°C for 1 year.


Initial Reconstitution: Store at 2°C to 8°C for up to 1 week.

Extended Storage: Store at -20°C or -80°C for 3 to 6 months with a carrier protein or

stabilizer.

运输 Blue Ice

实验数据展示



SDS-PAGE analysis of recombinant swine IL-4

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491