CHAMOT

重组猪趋化因子CXCL9 /Recombinant CXCL9, Swine, Animal-Free

CM024-5SP

CM024-20SP

CM024-100SP

CM024-500SP

CM024-1000SP





トスツと

1 产品简介

2 产品使用

3 产品储存/运输

4 实验数据展示



Product Datasheet

重组猪趋化因子CXCL9 /Recombinant CXCL9, Swine, Animal-

产品编号	CM024-5SP	CM024-20SP	CM024-100SP	CM024-500SP	CM024-1000SP
规格	5 μg	20 μg	100 μg	500 μg	1 mg

产品简介

C-X-C motif chemokine 9 (CXCL9) also named monokine induced by gamma interferon (MIG), which is a chemokine of the intercrine alpha family. CXCL9 is a 11.5 kDa protein containing 10⁴ amino acid residues. CXCL9 controls the immune cells by 背景描述 binding the CXCR3 which is including the cell migration and activation. During inflammation, CXCL9 is a chemotaxis for lymphocyte and macrophages. CXCL9 is participated in the process of tumor proliferation and metastasis. 别称 C-X-C motif chemokine 9, MIG 蛋白编码 NP 001107761 2 The protein has a calculated MW of 12.88 kDa. The protein migrates as 17-25 kDa 分子量 under reducing condition (SDS-PAGE analysis). 表达系统 Escherichia coli 纯度 >98% as determined by SDS-PAGE. 生物活性 Testing in process 内毒素检测 <0.1 EU per 1 µg of the protein by the LAL method.

TLLMRNGRCSCINTSQRMIHLKSLRDLKQFAPSPSCEKMEVIATMKNGDQTCLNPDSPDVKKL 蛋白序列

IKEWEKQVSLKKKQKKGKKHPKTKKVRKVKKSQRPDQKKMT with polyhistidine tag at the N-terminus.

The protein was lyophilized from a 0.2 µm filtered solution containing 1X PBS, pH 产品形式 7.4. If you have any concerns or special requirements, please confirm with us.

产品应用 Cell Culture **1.** Before opening, centrifuge at 3000 rpm for 5 mins.

2.Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H₂O to a concentration of 100-200 μg/mL.
- Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

• Store at 2°C to 8°C for up to 1 week.

3.Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than $10~\mu g/ml$.
- Prepare aliquots (≥20 µl).
- Store at -20°C or -80°C for 3 to 6 months.

Avoid repeated freeze-thaw cycles.

产品储存/运输

Lyophilized Protein: Store at -20°C for 1 year.

储存 Initial Reconstitution:


Initial Reconstitution: Store at 2°C to 8°C for up to 1 week.

Extended Storage: Store at -20°C or -80°C for 3 to 6 months with a carrier protein or

stabilizer.

运输 Blue Ice

实验数据展示



SDS-PAGE analysis of recombinant swine CXCL9

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491