CHAMOT

重组猪趋化因子CXCL13 /Recombinant CXCL13, Swine, Animal-Free

CM026-5SP

CM026-20SP

CM026-100SP

CM026-500SP

CM026-1000SP





トスツと

1 产品简介

2 产品使用

3 产品储存/运输

4 实验数据展示



Product Datasheet

重组猪趋化因子CXCL13 / Recombinant CXCL13, Swine, Animal-Free

产品编号	CM026-5SP	CM026-20SP	CM026-100SP	CM026-500SP	CM026-1000SP
规格	5 μg	20 μg	100 μg	500 μg	1 mg

产品简介

C-X-C motif chemokine 13 (CXCL13) also named B lymphocyte chemoattractant (BLC), which is a chemokine of the intercrine alpha family. CXCL13 is a 9.8kDa protein containing 88 amino acid residues. CXCL13 is a chemotaxis for B lymphocyte. 背景描述 CXCL13 induces the cell proliferation though the AKT signal pathway which plays an key role intestinal cancer model. CXCL13 /CXCR5 axis is highly existed in gut, spleen and lymph nodes. C-X-C motif chemokine 13, MCP-1 别称 蛋白编码 XP 003129149 1 The protein has a calculated MW of 10.81 kDa. The protein migrates about 11 kDa 分子量 under reducing condition (SDS-PAGE analysis). 表达系统 Escherichia coli 纯度 >98% as determined by SDS-PAGE. 生物活性 Testing in process 内毒素检测 <0.1 EU per 1 µg of the protein by the LAL method. VLETNDTNLKCQCLRSTSNWVPIRLIEKIQIWPPGNGCPTREVIVWMTNKTAICLNPQSKLLQK 蛋白序列 LINLMWRKKTSTTLPAPVSKKSIA with polyhistidine tag at the N-terminus.

The protein was lyophilized from a 0.2 µm filtered solution containing 1X PBS, pH

7.4. If you have any concerns or special requirements, please confirm with us.

产品应用 Cell Culture

产品使用

产品形式

1. Before opening, centrifuge at 3000 rpm for 5 mins.

2.Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H₂O to a concentration of 100-200 μg/mL.
- Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

• Store at 2°C to 8°C for up to 1 week.

3.Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than $10~\mu g/ml$.
- Prepare aliquots (≥20 µl).
- Store at -20°C or -80°C for 3 to 6 months.

Avoid repeated freeze-thaw cycles.

产品储存/运输

Lyophilized Protein: Store at -20°C for 1 year.

储存 Initial Reconstitution:

Initial Reconstitution: Store at 2°C to 8°C for up to 1 week.


Extended Storage: Store at -20°C or -80°C for 3 to 6 months with a carrier protein or

stabilizer.

运输

Blue Ice

实验数据展示



SDS-PAGE analysis of recombinant swine CXCL13

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491