CHAMOT

重组小鼠白细胞介素16 /Recombinant IL-16, Mouse, Animal-Free

CM041-5MP

CM041-20MP

CM041-100MP

CM041-500MP

CM041-1000MP





トスツと

1 产品简介

2 产品使用

3 产品储存/运输

4 实验数据展示



Product Datasheet

重组小鼠白细胞介素16 /Recombinant IL-16, Mouse, Animal-Free

产品编号	CM041-5MP	CM041-20MP	CM041-100MP	CM041-500MP	CM041- 1000MP
规格	5 μg	20 μg	100 μg	500 μg	1 mg

产品简介

背景描述	Interleukin 16 (IL-16) predicts a molecular mass of 13.5 kDa, encoded by this gene is a pleiotropic cytokine that functions as a chemoattractant, a modulator of T cell activation, and an inhibitor of HIV replication, and signaling process of this cytokine is mediated by CD4.		
别称	interleukin 16, LCF (Lymphocyte Chemoattractant Factor), mKIAA4048, IL16		
蛋白编码	AAC04383.1		
分子量	The protein has a calculated MW of 14.04 kDa. The protein migrates about 17 kDa under reducing condition (SDS-PAGE analysis).		
表达系统	Escherichia coli		
纯度	>95% as determined by SDS-PAGE.		
生物活性	Testing in process		
内毒素检测	$<$ 0.1 EU per 1 μ g of the protein by the LAL method.		
蛋白序列	MHDLNSSTDSAASAASDISVESKEATVCTVTLEKTSAGLGFSLEGGKGSLHGDKPLTINRIFK GDRTGEMVQPGDEILQLAGTAVQGLTRFEAWNVIKALPDGPVTIVIRRTSLQCKQTTASADS with polyhistidine tag at the C-terminus.		
产品形式	The protein was lyophilized from a 0.2 μm filtered solution containing 1X PBS, pH 7.4. If you have any concerns or special requirements, please confirm with us.		
产品应用	Cell Culture		

产品使用

1. Before opening, centrifuge at 3000 rpm for 5 mins.

2.Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H₂O to a concentration of 100-200 μg/mL.
- Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

• Store at 2°C to 8°C for up to 1 week.

3.Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than $10~\mu g/ml$.
- Prepare aliquots (≥20 µl).
- Store at -20°C or -80°C for 3 to 6 months.

Avoid repeated freeze-thaw cycles.

产品储存/运输

Lyophilized Protein: Store at -20°C for 1 year.

储存 Initial Reconstitution

Initial Reconstitution: Store at 2°C to 8°C for up to 1 week.


Extended Storage: Store at -20°C or -80°C for 3 to 6 months with a carrier protein or

stabilizer.

运输

Blue Ice

实验数据展示



SDS-PAGE analysis of recombinant mouse IL-16

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491