CHAMOT

重组人骨形态发生蛋白-6 /Recombinant BMP-6, Human, Animal-Free

CM067-5HP

CM067-20HP

CM067-100HP

CM067-500HP

CM067-1000HP





トスツと

1 产品简介

2 产品使用

3 产品储存/运输

4 实验数据展示



Product Datasheet

重组人骨形态发生蛋白-6 /Recombinant BMP-6, Human, Animal-Free

产品编号	CM067-5HP	CM067-20HP	CM067-100HP	CM067-500HP	CM067-1000HP
规格	5 μg	20 μg	100 μg	500 μg	1 mg

AA I	回り	

背景描述	Bone Morphogenetic Protein-6 (BMP-6) is an extracellular multifunctional cytokine that is also a member of the TGF- β family. BMP-6 can bind with the TGF- β receptor and triggers SMAD protein signal transduction. It can keep joint integrity and stability in adults and plays a vital role in regulating hepcidin to maintain iron ions in the body.
别称	bone morphogenetic protein 6, VGR, VG-1-related protein, BMP6
蛋白编码	P22004
分子量	The protein has a calculated MW of 14.07 kDa. The protein migrates as 13 kDa under reducing condition (SDS-PAGE analysis).
表达系统	Escherichia coli
纯度	>98% as determined by SDS-PAGE.
生物活性	Measure by its ability to induce alkaline phosphatase production by ATDC5 cells. The ED $_{50}$ for this effect is <87 ng/mL.
内毒素检测	$<$ 0.1 EU per 1 μ g of the protein by the LAL method.
蛋白序列	MVSSASDYNSSELKTACRKHELYVSFQDLGWQDWIIAPKGYAANYCDGECSFPLNAHMNAT NHAIVQTLVHLMNPEYVPKPCCAPTKLNAISVLYFDDNSNVILKKYRNMVVRACGCH with polyhistidine tag at the C-terminus.
产品形式	The protein was lyophilized from a 0.2 μ m filtered solution containing 1×PBS, pH 8.0. If you have any concerns or special requirements, please confirm with us.

产品使用

产品应用

Cell Culture

1. Before opening, centrifuge at 3000 rpm for 5 mins.

2.Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H₂O to a concentration of 100-200 μg/mL.
- Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

• Store at 2°C to 8°C for up to 1 week.

3.Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than 10 µg/ml.
- Prepare aliquots (≥20 µl).
- Store at -20°C or -80°C for 3 to 6 months.

Avoid repeated freeze-thaw cycles.

产品储存/运输

储存

Lyophilized Protein: Store at -20°C for 1 year.


Initial Reconstitution: Store at 2°C to 8°C for up to 1 week.

Extended Storage: Store at -20°C or -80°C for 3 to 6 months with a carrier protein or

stabilizer.

Blue Ice 运输

实验数据展示



SDS-PAGE analysis of recombinant human BMP-6

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491