CHAMOT

重组小鼠/大鼠血管内皮生长因子121 /Recombinant VEGF121, Mouse/Rat, Animal-Free

CM068-5MP

CM068-20MP

CM068-100MP

CM068-500MP

CM068-1000MP





トスツと

1 产品简介

2 产品使用

3 产品储存/运输

4 实验数据展示



Product Datasheet

重组小鼠/大鼠血管内皮生长因子121 /Recombinant VEGF121, Mouse/Rat, Animal-Free

产品编号	CM068-5MP	CM068-20MP	CM068-100MP	CM068-500MP	CM068- 1000MP
规格	5 μg	20 μg	100 μg	500 μg	1 mg

产品简介

背景描述	Vascular Endothelial Growth Factors 121 (VEGF121) is a truncated version of VEGF165, which produced in E. coli is a homodimer, non-glycosylated, polypeptide chain and having a molecular mass of 28.4 kDa. There is three different isoforms (120, 164 and 188 a.a.) found in mouse. VEGF 121 shows that lack basic heparinbinding regions and are freely diffusible. Mouse VEGF121 shares 98% identity with corresponding regions of rat, 89% with canine, feline, equine and porcine, and 87% with human, ovine and bovine VEGF, respectively.
别称	vascular endothelial growth factor 121, VPF
蛋白编码	Q00731(Mouse), P16612(Rat)
分子量	The protein has a calculated MW of 15.01 kDa. The protein migrates as 18 kDa under reducing condition (SDS-PAGE analysis).
表达系统	Escherichia coli
纯度	>95% as determined by SDS-PAGE.
生物活性	Measure by its ability to induce proliferation in HUVEC cells. The ED $_{50}$ for this effect is <3 ng/mL.
内毒素检测	$<$ 0.1 EU per 1 μg of the protein by the LAL method.
蛋白序列	MAPTTEGEQKSHEVIKFMDVYQRSYCRPIETLVDIFQEYPDEIEYIFKPSCVPLMRCAGCCNDE ALECVPTSESNITMQIMRIKPHQSQHIGEMSFLQHSRCECRPKKDRTKPEKCDKPRR with polyhistidine tag at the C-terminus.
交叉反应	Rat (97.5%)
产品形式	The protein was lyophilized from a 0.2 μm filtered solution containing 1X PBS, pH 8.0. If you have any concerns or special requirements, please confirm with us.

产品使用

1. Before opening, centrifuge at 3000 rpm for 5 mins.

2.Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H₂O to a concentration of 100-200 μg/mL.
- Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

• Store at 2°C to 8°C for up to 1 week.

3.Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than $10~\mu g/ml$.
- Prepare aliquots (≥20 µl).
- Store at -20°C or -80°C for 3 to 6 months.

Avoid repeated freeze-thaw cycles.

产品储存/运输

储存

Lyophilized Protein: Store at -20°C for 1 year.


Initial Reconstitution: Store at 2°C to 8°C for up to 1 week.

Extended Storage: Store at -20°C or -80°C for 3 to 6 months with a carrier protein or

stabilizer.

运输 Blue Ice

实验数据展示



SDS-PAGE analysis of recombinant mouse VEGF121

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491