# **CHAMOT**

# 重组小鼠神经营养因子 /Recombinant Neurturin, Mouse, Animal-Free


CM085-5MP

CM085-20MP

CM085-100MP

CM085-500MP

CM085-1000MP





# トスツと

1 产品简介

2 产品使用

3 产品储存/运输

4 实验数据展示



### **Product Datasheet**

## 重组小鼠神经营养因子 / Recombinant Neurturin, Mouse, Animal-Free

产品编号	CM085-5MP	CM085-20MP	CM085-100MP	CM085-500MP	CM085- 1000MP
规格	5 μg	20 μg	100 μg	500 μg	1 mg

### 产品简介

背景描述	Neurturin is a 22 kDa cytokine with 195 amino acid residues. Neurturin belongs to the same neurotrophic factor family as GDNF. Binding to GFR $\alpha$ -2 (GPI-linked receptor termed GDNF family receptor $\alpha$ -2), neurturin activates Ret receptor tyrosine kinase and MAPK pathway. It involves in neuron survival.
别称	NTN, NRTN
蛋白编码	P97463
分子量	The protein has a calculated MW of 12.33 kDa. The protein migrates as 11-17 kDa under reducing condition (SDS-PAGE analysis).
表达系统	Escherichia coli
纯度	>98% as determined by SDS-PAGE.
生物活性	Measure by its ability to induce proliferation in SH-SY5Y cells. The ED $_{50}$ for this effect is <50 ng/mL.
内毒素检测	$<$ 0.1 EU per 1 $\mu$ g of the protein by the LAL method.
蛋白序列	PGARPCGLRELEVRVSELGLGYTSDETVLFRYCAGACEAAIRIYDLGLRRLRQRRRVRRERARAH PCCRPTAYEDEVSFLDVHSRYHTLQELSARECACV with polyhistidine tag at the N-terminus.
产品形式	The protein was lyophilized from a 0.2 $\mu m$ filtered solution containing 1X PBS, pH 7.4. If you have any concerns or special requirements, please confirm with us.
产品应用	Cell Culture

### 产品使用

**1.** Before opening, centrifuge at 3000 rpm for 5 mins.

### 2.Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H<sub>2</sub>O to a concentration of 100-200 μg/mL.
- Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

• Store at 2°C to 8°C for up to 1 week.

### 3.Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than  $10~\mu g/ml$ .
- Prepare aliquots (≥20 µl).
- Store at -20°C or -80°C for 3 to 6 months.

Avoid repeated freeze-thaw cycles.

### 产品储存/运输

**Lyophilized Protein:** Store at -20°C for 1 year.

储存 Initial Reconstitution:

**Initial Reconstitution:** Store at 2°C to 8°C for up to 1 week.


**Extended Storage:** Store at -20°C or -80°C for 3 to 6 months with a carrier protein or

stabilizer.

运输

Blue Ice

### 实验数据展示



SDS-PAGE analysis of recombinant mouse Neurturin

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491