# **CHAMOT**

重组小鼠神经生长因子β /Recombinant beta-NGF, Mouse, Animal-Free

CM086-5MP

CM086-20MP

CM086-100MP

CM086-500MP

CM086-1000MP





# トスツと

1 产品简介

2 产品使用

3 产品储存/运输

4 实验数据展示



### **Product Datasheet**

## 重组小鼠神经生长因子β /Recombinant beta-NGF,Mouse,Animal-Free

产品编号	CM086-5MP	CM086-20MP	CM086-100MP	CM086-500MP	CM086- 1000MP
规格	5 μg	20 μg	100 μg	500 μg	1 mg

4		44	人
	116	113	

背景描述	Beta-Nerve Growth Factors (Beta-NGF) is a 27 kDa cytokine with 241 amino acid residues. Beta-NGF belongs to neurotrophin family, and acts as neurotrophic factors. It's composed of alpha, beta, gamma subnuits, and the beta subunit is related to its biological activity. Beta-NGF binds to p75 neurotrophin receptor and Trk receptor and their function is about cell death and survival, respectively.
别称	nerve growth factor-beta, $\beta$ -Nerve Growth Factor, NGF- $\beta$
蛋白编码	P01139
分子量	The protein has a calculated MW of 14.41 kDa. The protein migrates as 11-17 kDa under reducing condition (SDS-PAGE analysis).
表达系统	Escherichia coli
纯度	>98% as determined by SDS-PAGE and RP-HPLC.
生物活性	Measure by its ability to induce TF-1 cells proliferation. The ED $_{50}$ for this effect is <1ng/mL. The specific activity of recombinant mouse beta-NGF is > 1 x 10 $^6$ IU/mg.
内毒素检测	$<$ 0.1 EU per 1 $\mu$ g of the protein by the LAL method.
蛋白序列	MSSTHPVFHMGEFSVCDSVSVWVGDKTTATDIKGKEVTVLAEVNINNSVFRQYFFETKCRAS NPVESGCRGIDSKHWNSYCTTTHTFVKALTTDEKQAAWRFIRIDTACVCVLSRKATRRG with polyhistidine tag at the C-terminus.
产品形式	The protein was lyophilized from a 0.2 $\mu$ m filtered solution containing 1X PBS, pH 8.0. If you have any concerns or special requirements, please confirm with us.
产品应用	Cell Culture

### 产品使用

1. Before opening, centrifuge at 3000 rpm for 5 mins.

### 2.Initial Reconstitution

- Reconstitute the Lyophilized Protein in sterile H<sub>2</sub>O to a concentration of 100-200 μg/mL.
- Then, incubate it at room temperature for at least 20 mins to ensure sufficient dissolution.

Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

• Store at 2°C to 8°C for up to 1 week.

### 3.Extended Storage

- After the initial reconstitution, further dilute the reconstituted protein in a buffer containing a carrier protein or stabilizer (e.g., 0.1% BSA, 10% FBS, 5% HSA, or 5% trehalose solution). The final concentration is not less than  $10~\mu g/ml$ .
- Prepare aliquots (≥20 µl).
- Store at -20°C or -80°C for 3 to 6 months.

Avoid repeated freeze-thaw cycles.

### 产品储存/运输

储存

**Lyophilized Protein:** Store at -20°C for 1 year.


**Initial Reconstitution:** Store at 2°C to 8°C for up to 1 week.


Extended Storage: Store at -20°C or -80°C for 3 to 6 months with a carrier protein or

stabilizer.

**运输** Blue Ice

### 实验数据展示





SDS-PAGE analysis of recombinant mouse beta- The purity of recombinant mouse beta-NGF is greater than 98% as

NGF determined by RP-HPLC.

For Research Use or Further Manufacturing Only

Chamot Biotechnology(Shanghai) Co., Ltd. www.chamot-bio.com

Tel: 021-51880030 Mail: info@chamot-bio.com QQ: 864920491